

## BCSD

### BCSD SERIES "DUAL LOADING" COUNTING SCALE



**SCALE  
HOUSE**  
electronic weighing

Counting scale, CONNECTABLE TO A SECOND REMOTE PLATFORM, particularly suitable for taking inventories and for counting small parts. Weight or piece quantity check, weight and pieces' totalisation function, 100 PLU memory.

Working in cooperation with:

**SCALEIT AS**

VESTVOLLVEIEN 30B - 2019 - SKEDSMOKORSET - NORWAY  
Tel. 0047 64836750 Fax. 0047 63872590  
post@scaleit.no www.scaleit.no

The best solution  
for advanced industrial  
applications

## TECHNICAL FEATURES

- 3 backlit LCD displays with 6 digits 20mm high for simultaneously viewing weight, average piece weight, and number of pieces.
- Membrane waterproof, alphanumeric and functional keypad with 20 keys and acoustic feedback.
- Stainless steel plate, 230x300mm size.
- Level and adjustable feet.
- Built-in rechargeable battery (about 70h battery life) and 230Vac power adapter.
- RS232/C port for connection to PC or printer.
- Configurable input for connection to second counting platform, with completely programmable capacity and division.
- Packaging: 440x370x220mm size - approximate weight of 5,5kg.
- Upon request: ACCREDIA calibration with issuing of relative certificate.

## FUNCTIONS

- counting:
  - entry of sampling items,
  - entry of Average Piece Weight,
  - optimisation of the A.P.W.,
  - indication of insufficient A.P.W./sampling quantity,
  - 100 PLU memory, each with: alphanumeric description of 12 characters, tare, A.P.W.;
- weight or piece quantity check, with 2 thresholds and acoustic alarm;
- weight and pieces' totalisation;
- unit of measure conversion: kg, lb;
- zeroing;
- zero tracking;
- semi-automatic tare or enterable from keypad;
- digital calibration;
- auto switch-off;
- backlight command;
- low battery warning.

## COUNTING FEATURES

- Internal sensitivity and minimum recommended A.P.W.:

Model	BCSD6	BCSD15	BCSD30
Internal sensitivity g	0,02	0,05	0,1
Min. recommended A.P.W. g	0,1	0,2	0,5

## DETAIL 1



Example of application with 2 platforms

NOTE: in order to realize this configuration, you have to order one SHCAL calibration service for the reference scale and one for the counting scale.

## VERSIONS

### Available versions

Codice	Max (kg)	d (g)
BCSD6	6	0,1
BCSD15	15	0,2
BCSD30	30	0,5

NOTE: available connection to a second remote platform of SCALE HOUSE series.



www.diniargeo.com



“YOUR WORLDWIDE PARTNER FOR WEIGHING,”

DINI ARGEO  
FRANCE sarl  
France

DINI ARGEO  
GMBH  
Germany

DINI ARGEO  
UK Ltd  
United Kingdom

DINI ARGEO WEIGHING  
INSTRUMENTS Ltd  
China

DINI ARGEO  
OCEANIA  
Australia



**COMPANY HEADQUARTERS**

Via Della Fisica, 20  
41042 Spezzano di Fiorano - Modena - Italy  
Tel. +39.0536 843418

**SCALEIT AS**

VESTVOLLVEIEN 30B - 2019 - SKEDSMOKORSET - NORWAY

Tel. 0047 64836750 Fax. 0047 63872590

post@scaleit.no www.scaleit.no

SALES AND TECHNICAL ASSISTANCE SERVICE